REFERENCES

1. Spruance S.L., Freeman D.J. (1990), Topical treatment of cutaneous herpes simplex virus infections, Antiviral Research, 14, 305-321.
2. Hadgraft J., Lane M.E. (2005), Skin permeation: the years of enlightenment, Int. Journ. Pharm., 305, 2-12.
3. Mandal S, Thimmasetty J., Ratan G.N., Kilarimath B.H. (2011), Formulation and evaluation of carvedilol transdermal patches, Int. Res. Journ. Of Pharm., 2(1), 237-248.
4. Mathur P., Valecha V., Syan N., Verma S. (2011), Various penetration enhancements techniques in transdermal drug delivery, Int. Journ. Of Pharm. & Tech., 3(2), 2373-2401.
5. Walker R.B., Smith E.W. (1996), The role of percutaneous penetration enhancers, Adv. Drug Del. Rev., 18, 295-301.
6. Williams A.C., Berry B.W. (2004), Penetration enhancers, Adv. Drug Deli. Rev., 56, 603-618.
7. Kalia Y.N., Naik A., Garrison J., Guy R.H. (2004), Iontophoretic drug delivery, Adv. Drug Deli. Rev., 56, 619-658.
8. Tokumoto S., Higo N., Sugibayashi K. (2006), Effect of electroporation and pH on the iontophoretic transdermal delivery of human insulin. Int. Journ. Pharm., 326, 13-19.
9. Ammar H.O., Ghorab M., el-nahhah S.A., Kamel R. (2006), Design of a transdermal delivery system for aspirin as an antithrombic drug, Int. Journ. Pharm., 327, 81-88.
10. Sebastiani P. Nicoli S., Santi P. (2005), Effect of lactic acid and iontophoresis on drug permeation across rabbit ear skin, Int. Journ. Pharm., 292, 119-26.
11. Nair V.B., Panchagnula R. (2004), The effect of pretreatment with terpenes on transdermal iontophoretic delivery of arginine vasopressin. Farmaco., 59, 575-581.

12. Meidan V.M., Khalili M.A., Michniak B.B. (2003), Enhanced iontophoretic delivery of buspiron hydrochloride across human skin using chemical enhancers, Int. Journ. Pharm., 264, 73-83.
13. Aqil M., Ali A., Sultana Y., Dubey K., Najmi A.K., Pillai K.K. (2006), In vivo characterization of monolithic matrix type transdermal drug delivery system of pinacidil monohydrate: a technical note, AAPS Pharm. Sci. Tech., 7 (1), E1-E5.
14. Ozguney I.S., Karasulu H.Y., Kantarc G., Sozer S., Gunery T., Ertan G. (2006), Transdermal delivery of diclofenac sodium through rat skin from various formulations, AAPS Pharm. Sci. Tech., 7(4), E1-E7.
15. Coceani N., Colombo I., Grassi M. (2003), Acyclovir permeation through rat skin: mathematical modeling and in vitro experiments, Int. Journ. Pharm., 254, 197-210.
16. Afouna M.I., Fincher T.K., Zaghloal A.A., Reddy I.K. (2003), Effect of azone upon the in vivo antiviral efficacy of cidofivir or acyclovir topical formulations in treatment/prevention of cutaneous HSV-1 infections and its correlation with skin target site free drug concentration in hairless mice, Int. Journ. Pharm., 253, 159-168.
17. Liu H., Li S., Wang Y., Yao H., Zhang Y. (2006), Effect of vehicles and enhancers on the topical delivery of cyclosporine a. Int. Journ. Pharm., 311, 182-186.
18. Prasad R., Koul V., Anand S., Khar R.K. (2007), Effect of DC/mDC iontophoresis and terpenes on transdermal permeation of methotrexate: *in vitro* study, Int. Journ. Pharm., 333, 70-78.
19. Shishu, Aggrawal N. (2006), Preparation of hydrogels of griseofulvin for dermal application, Int. Journ. Pharm., 326, 20-24.
20. Al-Khalili M., Meidan V.M., Michniak B.B. (2003), Iontophoretic transdermal delivery of buspirone hydrochloride in hairless mouse skin. AAPS Pharm. Sci., 5, 1-11.
21. Morrel E.M., Spruance S.L., Goldberg D.I. (2006), Topical iontophoretic administration of acyclovir for the episodic treatment of herpes labialis: a randomized, double-blind, placebo-controlled, clinic-initiated trial, Clin. Infect. Dis., 43, 460-67.

22. Stagni G., Ali M.E., Weng D. (2004), Pharmacokinetics of acyclovir in rabbit skin after iv-bolus, ointment, and iontophoretic administration, Int. Journ. Pharm., 274, 201-11.
23. Kikwai L., Babu R.J., Prado R., Kolot A., Armstrong C.A., Ansel J.C., Singh M. (2005), In vitro and in vivo evaluation of topical formulations of spantide II, AAPS Pharm. Sci. Tech., 6, 565-72.
24. Font A.F., Fernandez C.B., Merino V., Castellano A.L. (2006), Combination strategies for enhancing transdermal absorption of sumatriptan through skin, Int. Journ. Pharm., 323, 125-30.
25. Tiwari S.B., Udupa N. (2003), Investigation into the potential of iontophoresis facilitated delivery of ketorolac, Int. Journ. Pharm., 260, 93-103.
26. Figueroa M.J.A., Charro M.B.D., Mendez J.B. (2001), Passive and iontophoretic transdermal penetration of methotrexate, Int. Journ. Pharm., 212, 101-07.
27. Huang J.F., Sung K.C., Hu O.Y.P., Wang J.J., Lin Y.H., Fang J.Y. (2005), The effect of electrically assisted methods on transdermal delivery of nalbuphine benzoate and sebacoyl dinilbuphine ester from solutions and hydrogels, Int. Journ. Pharm., 297, 162-71.
28. Suwanpidokkul N., Thongnopnua P., Umprayn K. (2004), Transdermal delivery of zidovudine (azt): the effects of vehicles, enhancers, and polymer membraneson permeation across cadaver pig skin, AAPS Pharm. Sci. Tech., 5(3), 1-8.
29. Sandeep H.N., Kulkarni S.V., Shankar M.S., Someshwara R.B., Ashok K.P. (2010), Formulation and evaluation of latanoprost ophthalmic gels, Journ. Of Glob. Pharm. Tech., 2(6), 35-39.
30. Shankar M.U., Murthy P.N., Gouryshyam P., Sanjay K. (2011), Formulation development and standardization of herbal gel containing methanolic extract of butae frondosa, Int. Res. Journ. Pharm., 2(11), 126-29.
31. Bodhankar M.M., Patil A.T., Agnohotri V.V. (2011), Development of topical formulations containing bioactive volatile oils: relative characterization of drug release for cream ointment and gel, Int. Journ. Pharm. & Tech., 3(3), 3029-3038.

32. Patel N.B., Sonpal R.N., Mohan S., Selvaraj S. (2010), Formulation and evaluation of iontophoretic transdermal delivery of diltiazem hydrochloride, Int. Journ. Res. Pharm. Sci., 1(3), 338-44.
33. Praveen M., Someswara R.B., Kulkarni S.V., Chethan S.B. (2011), Formulation and evaluation of tizanidine hydrochloride transdermal patches, Int. Journ. Drug Form. & Res., 2(2), 298-313.
34. Moghimi H., Momajjad A. (2005), An in vitro iontophoretic permeation study of nicotine through rat skin, Iran. Journ. Pharm. Res., 4, 213-19.
35. Vijaya C. Bingi M., Vigneshwaran L.V. (2011), Transdermal delivery of venlafaxine hydrochloride: the effects of enhancers on permeation through pig ear skin, Ind. Journ. Pharm. Sci., 456-59.
36. Das S., Haldar P.K., Pramanik G. (2011), Formulation and evaluation of herbal gel containing clerodendron infortunatum leaves extract, Int. Journ. Pharm. Tech. Res., 3(1), 140-43.
37. Darwhekar G., Jain D.K., Patidar V.K. (2011), Formulation and evaluation of transdermal drug delivery system of clopidogrel bisulphate, Asian Journ. Pharm. and Life Sci., 1(3), 269-78.
38. Narendra C.T., Prakash K. (2011), Aceclofenac nanoemulsions for transdermal delivery: stability and in-vitro evaluation, Asian Journ. Pharm. and Life Sci., 1(4), 354-69.
39. Merclin N., Bramer T., Edsman K. (2004), Iontophoretic delivery of 5-aminolevulinic acid and its methyl ester using a carbopol gel as vehicle, Journ. Contr. Rel., 98, 57-65.
40. Degim T., Pugh W.J., Hadgraft J. (1998), Effect of ion complexants on iontophoresis of salbutamol, Int. Journ. Pharm., 167, 229-31.
41. Ishikawa O., Kato Y., Onishi H., Nagai T., Machida Y. (2002), Enhancement of transdermal absorption by switching iontophoresis, Int. Journ. Pharm., 249, 81-88.
42. Chaturvedula A., Joshi D.P., Anderson C., Morris R.L., Sembrowich W.L., Banga A.K. (2005), In vivo iontophoretic delivery and pharmacokinetics of salmon calcitonin, Int. Journ. Pharm., 279, 190-96.

43. Panchagula R., Bokalial R., Sharma P., Khandavilli S. (2005), Transdermal delivery of naloxone: skin permeation, pharmacokinetic, irritancy and stability studies, Int. Journ. Pharm., 293, 213-23.
44. Lim P.F.C., Liu X.Y., Kang L., Ho P.C.L., Chan Y.W., Chan S.Y. (2006), Limonene GP1/PG organogel as a vehicle in transdermal delivery of haloperidol. Int. Journ. Pharm., 311, 157-64.
45. Kotwal V., Bhise K., Thube R. (2007), Enhancement of iontophoretic transport of diphenhydramine hydrochloride thermosensitive gel by optimization of pH, polymer concentration, electrode design, and pulse rate, AAPS Pharm. Sci. Tech., 8(4), E1-E6.
46. Patel S.R., Zhong H., Sharma A., Kalia Y.N. (2007), Invitro and in vivo evaluation of transdermal iontophoretic delivery of sumatriptan succinate, Euro. Journ. Pharm. Bioph., 66, 296-301.
47. Panigrahi L., Pattnaik S., Ghosal S.K. (2005), The effect of pH and organic ester penetration enhancers on skin permeation kinetics of terbutaline sulphate from pseudolatex type transdermal delivery system through mouse and human cadaver skin, AAPS Pharm. Sci. Tech., 6(2), E167-E173.